



BECKSON MANUFACTURING, INC.



Quality Accessories

Dependable Products





Beckson Manufacturing, Inc.



Easy Access

Ventilation Hatches

Opening Hatches

These tough ABS hatches with polycarbonate lenses provide ventilation in areas where many larger hatch do not fit. Beckson's VH series cover is constructed of high impact lexan with the frame made from UV resistant ABS material. The riser allows the hatch to be locked into place at carrying angles to maximize or minimize air flow as needed.

The hatch is intended for installation on flat surfaces only using a silicone caulk. Hatch is provided with a 2" spigot or flange and trim ring.

Standard colors are white and black. Recommended fasteners are #10-24 pan head bolts.

Item	~Hole Size	Outside Frame Dim
VHWS-3	7.38 x 14.38"	9.75 x 16.75"
VHBS-3	7.38 x 14.38"	9.75 x 16.75"

Stow Away Hatch

Designed with modern storage in mind, this hatch has multiple uses. Uses include glove compartments, engine control cover and fire extinguisher access to name a few. The hatch door feature a 180 degree opening allowing complete access and its easy finger grip handle makes operation simple and one handed. Beckson's rugged "Slip-Clip" snub latch hold the cover firmly closed. The low profile frame allows maximum utility in tight areas. Hatch is provided with a 2" spigot or flange.

Standard colors are white and black. Recommended fasteners are #10-24 pan head bolts.

Item	~Hole Size	Outside Frame Dim
PH714MBB-20	7.50 x 14.50"	9.75 x 16.75"
PH414MBB-20	4.50 x 14.50"	6.75 x 16.75"
PH512MBB-20	5.50 x 12.50"	7.75 x 14.62"
PH410MBB-20	4.50 x 10.50"	6.75 x 12.75"

Sealant

Beckson Manufacturing recommends ammonia cure silicone sealant for installation of its ABS hatches. If other sealant is used, please consult the sealant manufacturer prior to installation for best results. Beckson accepts no responsibility for damage as a result of unapproved sealants.

Please call if additional information is needed.



Access Hatches / View Ports

Opening Hatches

These tough ABS hatches with polycarbonate lenses provide a sealed viewing area as well as access when needed. All materials are UV stabilized to withstand the elements. Choose from six standard sizes available in black and white. The flange refers to the thickness of the mounting area. The frame comes in two standard "flange" lengths, 1 & 2 inch, for easy installation. Custom spigot lengths are available for your application. Please inquire for more details. Lenses are available with clear or tinted (smoked) lens. These hatches are ideal for storage containers, RV, sight glasses and display cases. Standard colors are white and black. Fasteners are #10-24 pad head.

Item	~Hole Size	Outside Frame Dim
AH310	3.50 x 10.37"	5.50 x 12.37"
AH410	4.50 x 10.50"	6.75 x 12.75"
AH414	4.50 x 14.50"	6.75 x 16.75"
AH512	5.50 x 12.50"	7.75 x 14.63"
AH714	7.50 x 14.38"	9.75 x 16.75"
AH8RD	8.50 diameter	10.75" diameter

Sample part number:

AH310-WC-10

Access Hatch, 3x10", White color, Clear lens, 1" spigot

Fixed View Ports - Sight Glasses

Following in the mold of our opening access hatches, our fixed view ports are offered in the same six standard sizes with 2" spigots. The spigot length accomodates the mounting thickness of the desired area. Cast acrylic lenses chemically bonded to the frame provides years of trouble free function. Our round view port or sight glasses are available with a 1/2" spigot. Standard colors are white and black. Fasteners are 10-24 pan-head. CAD drawings are available on request.

Sample part number:


AHF310-WC-10

Fixed View Port, 3x10", White color, Clear lens, 1" spigot

Sealant

Beckson Manufacturing recommends ammonia cure silicone sealant for installation of its ABS hatches. If other sealant is used, please consult the sealant manufacturer prior to installation for best results. Beckson accepts no responsibility for damage as a result of unapproved sealants.

Please call if additional information is needed.



Clear or Tinted Lens

Easy View